

Correction

Correction: Increasing TIMP3 expression by hypomethylating agents diminishes soluble MICA, MICB and ULBP2 shedding in acute myeloid leukemia, facilitating NK cell-mediated immune recognition

Aroa Baragaño Raneros¹, Alfredo Minguela², Ramon M. Rodriguez¹, Enrique Colado³, Teresa Bernal³, Eduardo Anguita⁴, Adela Vasco Mogorron², Alberto Chaparro Gil⁴, Jose Ramon Vidal-Castiñeira¹, Leonardo Márquez-Kisinousky¹, Paula Díaz Bulnes¹, Amelia Martinez Marin⁵, Maria Carmen García Garay⁶, Beatriz Suárez-Alvarez^{1,*} and Carlos Lopez-Larrea^{1,*}

¹ Department of Immunology, Hospital Universitario Central de Asturias, Oviedo, Spain

² Immunology Service, Instituto Murciano de Investigación Biosanitaria (IMIB), Hospital Clínico Universitario Virgen de la Arrixaca, Murcia, Spain

³ Department of Hematology, Hospital Universitario Central de Asturias, Oviedo, Spain

⁴ Hematology Department, Hospital Clínico San Carlos, Instituto de Investigación Sanitaria San Carlos (IdISSC), Department of Medicine, Universidad Complutense de Madrid (UCM), Madrid, Spain

⁵ Hematology Service, Hospital Clínico Universitario Virgen de la Arrixaca, Murcia, Spain

⁶ Hematology Service, Hospital General Universitario Santa Lucía, Cartagena, Murcia, Spain

* These authors have contributed equally to this work

Published: August 28, 2018

Copyright: Baragaño Raneros et al. This is an open-access article distributed under the terms of the Creative Commons Attribution License 3.0 (CC BY 3.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

This article has been corrected: The correct author name is given below:

Alfredo Minguela

Original article: Oncotarget. 2017; 8:31959-31976. <https://doi.org/10.18632/oncotarget.16657>