

Correction: Genomic deletion of chromosome 12p is an independent prognostic marker in prostate cancer

Martina Kluth, Ramin Ahrary, Claudia Hube-Magg, Malik Ahmed, Heinke Volta, Catina Schwemin, Stefan Steurer, Corinna Wittmer, Waldemar Wilczak, Eike Burandt, Till Krech, Meike Adam, Uwe Michl, Hans Heinzer, Georg Salomon, Markus Graefen, Christina Koop, Sarah Minner, Ronald Simon, Guido Sauter, Thorsten Schlomm

Present: Due to a production error, proper equal contribution credit for the first and second authors was erroneously removed from the published version.

Corrected: The proper contributions are listed below. The publisher sincerely apologizes for this oversight.

Original article: Oncotarget. 2015; 6(29):27966-79. doi: 10.18632/oncotarget.4626.

Martina Kluth^{1,*}, Ramin Ahrary^{1,*}, Claudia Hube-Magg¹, Malik Ahmed¹, Heinke Volta¹, Catina Schwemin¹, Stefan Steurer¹, Corinna Wittmer¹, Waldemar Wilczak¹, Eike Burandt¹, Till Krech¹, Meike Adam², Uwe Michl², Hans Heinzer², Georg Salomon², Markus Graefen², Christina Koop¹, Sarah Minner¹, Ronald Simon¹, Guido Sauter¹, Thorsten Schlomm^{2,3}

¹ Institute of Pathology, University Medical Center Hamburg-Eppendorf, Germany

² Martini-Klinik, Prostate Cancer Center, University Medical Center Hamburg-Eppendorf, Germany

³ Dept. of Urology, Section for translational prostate cancer research, University Medical Center Hamburg-Eppendorf, Germany

* These authors have contributed equally to this work